

Asante Laboratories

Memos and New Test Information

[BD Max Vaginitis Panel 3 2 20](#)

[Post Vasectomy Analysis 2 5 20](#)

[Thyroid Reflex Cascade 9 17 19](#)

[Allergen Testing Memo 03-27-19](#)

[H pylori stool antigen 1-17-19](#)

[VerifyNow Platelet Test 12-17-18](#)

[Xpress Flu PCR 11-12-18](#)

[Blood Culture Instrument 11-12-18](#)

[New Specimen Requirements - HIVAA 10-24-18](#)

[Hydroxocobalamin Interference with CO-oximetry results ATRMC 9-4-18](#)

[Max Parasite PCR panels 8-29-18](#)

[BD Max GBS 8-29-18](#)

[BD Max Bacterial PCR panels 8-29-18](#)

[Pathogen Reduced \(or Psoralen Treated\) Platelets 8-6-2018](#)

[CSF Meningitis Panel by PCR LAB1232148 \(Biofire FilmArray\) 7-30-18](#)

[Clostridium difficile by PCR LAB5228 7-30-18](#)

[Monoclonal Protein Panel 5-29-18](#)

[Free Light Chain, Serum 3-30-2018](#)

[Celiac Testing Memo 04-22-21](#)